CENTER

KRASS, GROH, SPRINKLE, ANDERSON & CITKOMSKI,

Serial No. 09/625,531 - Page 2

CLAIM AMENDMENTS

- 1. 7. (Canceled)
- 8. (Currently Amended) Telecommunications apparatus, comprising:
- a base unit[[,]] including an interface to a telecommunications network;
- TROY, MICHIGAN 48007-7021 (218) 647-6000 at least one wireless remote microphone in wireless communication with the base unit, genabling a user of the microphone to speak to a listener through the base unit and delecommunications network [[;and]].

wherein the base unit forms forming part of a video teleconferencing system including a video camera for capturing images of the user for transmission to the listener through the telecommunications network[[.]];

a wireless locator signal transmitter located at the base unit;

the remote microphone being configured to receive and re-transmit the locator signal to the base unit, enabling the base unit to determine a positional aspect of the user of the microphone; and

a pan or tilt capability associated with the video camera which is controlled as a function of the positional aspect, enabling the video camera to visually track a moving user.

- 9. 10. (Canceled)
- 11. (Original) The telecommunications apparatus of claim 9, further including:
- an auto-focusing capability for the video camera which is controlled as a function of the positional aspect.
 - 12. (Original) The telecommunications apparatus of claim 9, further including:
- a zoom lens associated with the video camera which is controlled as a function of the positional aspect.
 - 13. (Currently Amended) The telecommunications apparatus of claim 8, further including:

TRDY, M.CHIGAN 48007-7021

SUITE 336, P.O. BOX 7021

SPRINKLE

GROH,

Serial No. 09/625,531 - Page 3

a plurality of <u>wireless</u> remote microphones, each <u>re-transmitting [[a]] the locator wireless</u> audio signal to the base unit[[.]]; and

circuitry for distinguishing the signals received by each microphone so that the camera tracks a particular user when that user is speaking.

14. (Currently Amended) The telecommunications apparatus of claim 13, further including: one or more a plurality of wireless locator signal transmitters; and

wherein each remote microphone re-transmits one of the wireless <u>locator</u> signals to the base unit, enabling the base unit to determine a positional aspect of each user.

- 15. (Currently Amended) The telecommunications apparatus of claim 14, further including: a pan, tilt, [[and]] or zoom capability associated with the video camera which is controlled as function of the positional aspect of each user, enabling the samera to solectively-frame-the-image of-one-or-more-users-for-transmission-through the telecommunications-network.
- 16. (Original) The telecommunications apparatus of claim 15, wherein the pan, tilt, or zoom capabilities are effectuated by selecting a subset of pixels from a larger number of pixels in an image gathered by the camera.
- 17. (Original) The telecommunications apparatus of claim 14, further including:
 an auto-focusing capability for the video camera which is controlled as a function of the
 positional aspect of each user, enabling the camera to control depth-of-field associated with one or
 more users.
- 18. (New) The telecommunications apparatus of claim 8, wherein the wireless signal transmitter located at the base unit transmits an inaudible acoustic signal.
- 19. (New) The telecommunications apparatus of claim 13, wherein the circuitry for distinguishing the signals received by each microphone so that the camera follows a particular user includes a different carrier frequency associated with each microphone.

Serial No. 09/625,531 - Page 4

- 20. (New) The telecommunications apparatus of claim 13, wherein the circuitry for distinguishing the signals received by each microphone includes microphone identification circuitry located at the base unit.
 - 21. (New) The telecommunications apparatus of claim 8, further including circuitry for: evaluating signal quality from the microphone; and

== GIFTORD, KRASS, GROH, SPRIVKLE, ANDERSON & CITKOWSKI, P.C. Z701 TROY CENTER OR., SUITE 330, P.O. BOX 7021 TROY, MICHIGAN 46007-7021 activating an alarm if the signal quality indicates that the microphone is being carried away by the user.